

Bariatric Vitamins Sample Schedule – SLEEVE GASTRECTOMY (WITHOUT IRON)

- Follow these guidelines if you are NOT ANEMIC or MENOPAUSAL or NO LONGER MENSTRUATING
- You will need to take your vitamins every day for the rest of your life. Surgically changing the stomach decreases the ability to fully absorb nutrients from food.
- Remember to spread out your vitamins throughout the day. Do not take your vitamins all together as this can cause nausea and stomach aches, and you may not absorb all the nutrients in your vitamins. Keep all vitamins at least 2 hours apart.
- Our TLC office carries bariatric vitamins, in capsule or chewable form, that are formulated to quickly dissolve for optimal absorption. Supplements are also available on our website www.tlcsurgery.com through our “Vitamin Store”
- You will need multivitamins and 1500mg calcium citrate every day. DO NOT TAKE GUMMY VITAMINS!
- These bariatric multivitamins contain essential nutrients, including 1000mcg B12 AND 3000IU Vitamin D.

Choose either Option A or Option B

Time	Breakfast	Mid-Morning	Lunch	Mid-Afternoon	Dinner	Bedtime
Option A	Bariatric Advantage Ultra Multi WITHOUT Iron Capsule (Multivitamin)	Bariatric Advantage Calcium Chewy Bites 500mg	Bariatric Advantage Ultra Multi WITHOUT Iron Capsule	Bariatric Advantage Calcium Chewy Bites 500mg	Bariatric Advantage Ultra Multi WITHOUT Iron Capsule	Bariatric Advantage Calcium Chewy Bites 500mg
Option B	Bariatric Advantage Multi Chewy Bite (Multivitamin)	Bariatric Advantage Calcium Chewy Bites 500mg	Bariatric Advantage Multi Chewy Bite	Bariatric Advantage Calcium Chewy Bites 500mg	Bariatric Advantage Calcium Chewy Bites 500mg	